

REINHOLD ENVIRONMENTAL[®]



2026 Reinhold/PCUG Round Table Presentation

Hosted by TVA, Southern Company and Vistra
in the Sonesta Nashville Airport Hotel, Nashville, TN
on June 22-23, 2026

All presentations posted on this website are copyrighted by **REINHOLD ENVIRONMENTAL[®]** (RE). Any unauthorized attempts to print, to download, to modify, to incorporate into other presentations, to link to other websites or to obtain copies for any other uses than the training of attendees to RE Conferences is expressly prohibited unless approved in writing by RE or the original presenter. RE does not assume any liability for the accuracy or contents of any materials in this library which were presented and/or created by persons who were not employees or subcontractors of RE.



Precipitators 101

Paul Ford
President

P (908) 369-1590

F (908) 369-1594

paul.ford@redkoh.com

300 Valley Road | Hillsborough, NJ 08844

www.redkoh.com

"The Redkoh Group provides solutions that enable an integrated approach to pollution control and monitoring"




Redkoh Industries has been manufacturing electrostatic precipitator controls for over 30 years. We have manufactured analog, solid state, and microprocessor type controls for the air pollution control industry in the USA.

Redkoh supplies controls to Electrostatic Precipitator Manufacturers and to End Users throughout the world.

PRECIPITATOR CONTROLS SPECIALISTS

Precipitator




Collector Plate / Electrode

PRECIPITATOR CONTROLS SPECIALISTS


Collector Plate / Electrode

- This is a crucial component of an electrostatic precipitator (ESP) system.
- It is designed to receive and retain precipitated particles from the gas stream until they are removed for further processing.
- The collector plates are typically at earth potential
- We will see how the collector plate receives the particles and how they are removed in later slides



PRECIPITATOR CONTROLS SPECIALISTS



Precipitator



Discharge Electrode

PRECIPITATOR CONTROLS SPECIALISTS

Discharge Electrode




- The selection of discharge electrode types in electrostatic precipitators is vital for:
 - Optimizing performance
 - Managing operational efficiency
- The following factors contribute to their effectiveness in different applications:
 - Material properties,
 - Electrical characteristics, and design configurations
- For industries relying on particulate control, choosing the right type of discharge electrode is critical to achieving compliance and operational efficiency.



PRECIPITATOR CONTROLS SPECIALISTS

Precipitator




Support Insulator

PRECIPITATOR CONTROLS SPECIALISTS


Support Insulator

- This is a critical ceramic component that serves both mechanical and electrical functions.
- They support and electrically isolate the high-voltage discharge electrodes from the ESP housing.
- The electrodes are structurally attached to a suspension system that the insulator holds.
- These insulators are typically made from highly resistant ceramic materials (up to 180°C or high-alumina porcelain (up to 400°C) alumina with alumina oxide content up to 95%
- The reliability of these support insulators is crucial.
- Failures lead to:
 - Electrical field shorts and
 - Potential collapse of the high-voltage frame



PRECIPITATOR CONTROLS SPECIALISTS

Precipitator



Purge Air Systems

PRECIPITATOR CONTROLS SPECIALISTS

+1 908 369 1590

www.Redkoh.com


Purge Air Systems

- A purge air heater blower is a crucial component within the ESP system.
- Its primary function is to provide a controlled flow of heated air to prevent dust accumulation and moisture-related issues within the high-voltage insulator enclosures.
- Its Key Functions are to:
 - Prevents Dust Migration up into the insulators
 - Maintains Dry Conditions: Heated air prevents condensation on the insulator surfaces
 - Keeping insulators clean and dry, the blower helps minimize stress, cracking and electrical insulation
 - Heated purge air prevents dew-point corrosion, extending the lifespan of ESP components.
- The purge air heater blower operates by drawing in ambient air, heating it to a specific temperature, and directing it into the ESP's insulator enclosures.
- This controlled airflow prevents moisture buildup and ensures that the insulators remain free from dust and contaminants.



PRECIPITATOR CONTROLS SPECIALISTS

Precipitator



Collector Plate MIGI Rappers

PRECIPITATOR CONTROLS SPECIALISTS

+1 908 369 1590

www.Redkoh.com

Collector Plate MIGI Rappers

- The collector plate rapper on an electrostatic precipitator is responsible for removing the accumulated ash layer from the collector plates.
- This process is crucial for maintaining the efficiency and performance of the ESP.
- The rapping system applies mechanical impacts to the plates, which in turn dislodges the collected particles.
- The impact is created by an electromagnet lifting a heavy metal rod to a pre-determined height and dropping it onto metal rod connected to an anvil affixed to the top of the collector plate.
- The frequency and intensity of the rapping are determined by factors such as particle adhesion properties and the thickness of the accumulated ash layer.
- Operators must balance these factors to optimize the cleaning cycle and maintain collection efficiency without causing re-entrainment, where particles are knocked loose only to be caught again in the airflow.



**Collector Plate
Tumble Hammer Rappers**

PRECIPITATOR CONTROLS SPECIALISTS


Collector Plate Tumble Hammer Rappers

- The function of this type of rapper is the same as that shown in the previous slide with the following difference:
- The impact is created by a hammer affixed to a rotating shaft that spans the width of the precipitator
- As the shaft rotates, and once the rapper passes its center of gravity it falls dropping onto an anvil affixed to the side of the collector plate.
- The frequency of the rapping are determined by factors such as particle adhesion properties and the thickness of the accumulated ash layer.
- The intensity is determined during design by selecting the hammer weight and its shaft length



PRECIPITATOR CONTROLS SPECIALISTS

Precipitator



Discharge Electrode MIGI Rappers

PRECIPITATOR CONTROLS SPECIALISTS

Discharge Electrode MIGI Rappers

- The discharge electrode rapper on an electrostatic precipitator is responsible for removing the accumulated ash layer from the discharge electrodes.
- This process is crucial for maintaining the efficiency and performance of the ESP.
- The rapping system applies mechanical impacts to the electrodes, which in turn dislodges the collected particles.
- The impact is created by an electromagnet lifting a heavy metal rod to a pre-determined height and dropping it onto an insulated rod of either ceramic / alumina or FRP connected to an anvil affixed to the top of the discharge electrode frame.
- Keeping the electrodes clean and free of particulate allows them to maintain a high level of ionization required for collection within the precipitator.
- The frequency and intensity of the rapping are determined by factors such as particle adhesion properties and the thickness of the accumulated ash layer.



Discharge Electrode
Tumble Hammer Rappers

PRECIPITATOR CONTROLS SPECIALISTS


Discharge Electrode Tumble Hammer Rappers

- The function of this type of rapper is the same as that shown in the previous slide with the following difference:
- The impact is created by a hammer affixed to a rotating shaft that spans the width of the precipitator.
- The shaft is driven by a motor with a high ratio gearbox mounted outside the precipitator.
- As the shaft rotates, and once the rapper passes its center of gravity it falls dropping onto an anvil affixed to the top of the discharge electrode.
- The frequency of the rapping are determined by factors such as particle adhesion properties and the thickness of the accumulated ash layer.
- The intensity is determined during design by selecting the hammer weight and its shaft length



PRECIPITATOR CONTROLS SPECIALISTS

Precipitator



Hoppers



PRECIPITATOR CONTROLS SPECIALISTS

+1 908 369 1590

www.Redkoh.com

Hoppers

- Hoppers under the precipitator create the transition between the collected ash and the ash handling system which disposes of it
- Typically, hoppers are designed with a steep conical or pyramidal shape, to facilitate smooth flow of collected dust.
- They should be made from corrosion-resistant steel to withstand high temperatures and chemically reactive particulates.
- Hopper Heaters may be installed to prevent moisture condensation, which can cause blockages.
- Insulated walls help maintain optimal temperature conditions, preventing materials from clumping or adhering to the hopper surface.




PRECIPITATOR CONTROLS SPECIALISTS

Precipitator Roof Layout

UNITS 1 & 4 POWER BOILER

09:45 AM 6/10/2003



RAPPERS
FIRING

0 0

HELP MAIN SCREEN RAPPER SETTINGS READINGS TR F5 F6 F7 F8 F9 ALARM PAGE ALARM SUMMARY PRINT SCREEN F10 F11 F12


PRECIPITATOR CONTROLS SPECIALISTS

+1 908 369 1590

www.Redkoh.com

Electrical Systems

MOTOR CONTROL CENTER — 480V, 3Ø 3W, 60 HZ, (BY OTHERS)



PRECIPITATOR CONTROLS SPECIALISTS

+1 908 369 1590

www.Redkoh.com

Significant Electrical Components




- Transformer Rectifier Set
- Transformer Rectifier Controller
- Impact or Tumble Hammer Controller
- Purge Air Heater – Blower Controller
- Hopper Heater Controller
- DCS Interface



PRECIPITATOR CONTROLS SPECIALISTS

Power Supply System

Control Cabinet



Transformer Rectifier




Current Limiting Reactor

PRECIPITATOR CONTROLS SPECIALISTS

+1 908 369 1590


www.Redkoh.com

Power Supply System




PRECIPITATOR CONTROLS SPECIALISTS

Communications System




PRECIPITATOR CONTROLS SPECIALISTS

Particle Charging




PRECIPITATOR CONTROLS SPECIALISTS

Particle Charging




PRECIPITATOR CONTROLS SPECIALISTS

How the Collection Stack up



PRECIPITATOR CONTROLS SPECIALISTS

How the Electrical Fields Stack up



PRECIPITATOR CONTROLS SPECIALISTS

The End



PRECIPITATOR CONTROLS SPECIALISTS